CONCRETE & MASONRY

Page: 1

Compilation date: 27/04/2015

Revision No: 7

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: CONCRETE & MASONRY

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Stephenson H.G. Ltd

Kennerley Works

161 Buxton Road

Stockport

Cheshire

SK2 6EQ

Email: sales@stephensons.com

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314; STOT SE 3: H335

Most important adverse effects: Causes severe skin burns and eye damage. May cause respiratory irritation.

2.2. Label elements

Label elements:	
Hazard statements:	H314: Causes severe skin burns and eye damage.
	H335: May cause respiratory irritation.
Signal words:	Danger
Hazard pictograms:	GHS05: Corrosion
	GHS07: Exclamation mark



 Precautionary statements:
 P271: Use only outdoors or in a well-ventilated area.

 P280: Wear protective gloves/eye protection.

 P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

CONCRETE & MASONRY

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HYDROCHLORIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-595-7	-	-	Skin Corr. 1B: H314; STOT SE 3: H335	10-30%
PRIMARY ALCOHOL ETHOXYLATE				
-	-	-	Eye Dam. 1: H318; Acute Tox. 4: H302	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

CONCRETE & MASONRY

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

HYDROCHLORIC ACID...100%

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	2 mg/m3	8 mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.Hand protection: Protective gloves.

CONCRETE & MASONRY

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:LiquidColour:RedOdour:Characteristic odourOxidising:Non-oxidising (by EC criteria)Solubility in water:SolubleViscosity:Non-viscousFlash point°C:>70

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE

ORL RAT LD50 >200<2000		>200<2000 mg/kg	LD50	RAT		
--	--	-----------------	------	-----	--	--

Relevant hazards for substance:

Hazard Route	Basis
--------------	-------

Page: 4

pH: <2

CONCRETE & MASONRY

5

						Page:
Skin corrosion/irritation		DRM	Hazardo	us: calculated		
Serious eye damage/irritation		OPT	Hazardo	us: calculated		
STOT-single exposure		INH	Hazardo	us: calculated		
Symptoms / routes of exposure	Ð					
Skin contact:	There may	be irritation and r	redness at the site of	contact.		
Eye contact:	There may	be irritation and r	redness. The eyes m	ay water profusely.		
Ingestion:	There may	be soreness and	redness of the mou	h and throat.		
Inhalation:	There may	be irritation of the	e throat with a feeling	of tightness in the che	st. Exposure may	
	cause coug	hing or wheezing] .			
Section 12: Ecological informa	ition					
12.1. Toxicity						
Hazardous ingredients: PRIMARY ALCOHOL ETHOX	YLATE					
FISH						
			96H LC50	1-10	mg/l	
12.2. Persistence and degradat	oility		96H LC50	1-10	mg/l	
12.2. Persistence and degradab Persistence and degradability:		ants in this produ				
	The surfact	•	uct comply with the b		as laid down in	
	The surfact	(EC) No. 648/200	uct comply with the b 04 on detergents. Da	odegradability criteria a	is laid down in tion are held at	
	The surfact Regulation the disposa	(EC) No. 648/200 I of the compone	uct comply with the b 04 on detergents. Da ent authorities of the	odegradability criteria a	is laid down in tion are held at be made	
	The surfact Regulation the disposa available to	(EC) No. 648/200 I of the compone	uct comply with the b 04 on detergents. Da ent authorities of the	iodegradability criteria a ta to support this asser Member States and will	is laid down in tion are held at be made	
Persistence and degradability:	The surfacts Regulation the disposa available to	(EC) No. 648/200 I of the compone them at their dire	uct comply with the b 04 on detergents. Da ent authorities of the ect request or at the	iodegradability criteria a ta to support this asser Member States and will	is laid down in tion are held at be made	
Persistence and degradability: 12.3. Bioaccumulative potentia	The surfacts Regulation the disposa available to	(EC) No. 648/200 I of the compone them at their dire	uct comply with the b 04 on detergents. Da ent authorities of the ect request or at the	iodegradability criteria a ta to support this asser Member States and will	is laid down in tion are held at be made	
Persistence and degradability: 12.3. Bioaccumulative potentia Bioaccumulative potential: 12.4. Mobility in soil	The surfacts Regulation the disposa available to I No bioaccur	(EC) No. 648/200 I of the compone them at their dire	uct comply with the b 04 on detergents. Da ent authorities of the ect request or at the	iodegradability criteria a ta to support this asser Member States and will	is laid down in tion are held at be made	

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

CONCRETE & MASONRY

	Page:
14.1. UN number	
UN number:	UN1789
14.2. UN proper shipping name	
Shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(e	\$)
Transport class:	8
14.4. Packing group	
Packing group:	
14.5. Environmental hazards	
Environmentally hazardous:	
14.6. Special precautions for u	ser
Section 15: Regulatory inform	ation
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture
15.2. Chemical Safety Assessn	ient
Section 16: Other information	
Other information	
	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
ould information.	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	
	H314: Causes severe skin burns and eye damage.
	H318: Causes serious eye damage.
	H335: May cause respiratory irritation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
-5	

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.