



HOLCHEM

SAFETY DATA SHEET
OPTIMUM QFD 60 - RTU

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name OPTIMUM QFD 60 - RTU

Product number OPTK44

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent/Disinfectant.

Uses advised against Not for Direct Oral Consumption.

1.3. Details of the supplier of the safety data sheet

Supplier Holchem Laboratories Limited
Gateway House, Pilsworth Road,
Pilsworth Industrial Estate,
Bury, Lancashire (UK)
BL9 8RD

+44 (0) 1706 222288

+44 (0) 1706 221550

info@holchem.co.uk

1.4. Emergency telephone number

Emergency telephone Out of Office Hours Emergency Information:-
For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice call:- +44(0) 7050 265597.
Note:- This number will not accept order queries or calls dealing with equipment breakdowns.
This product is registered with the NPIS. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC/1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.
P280 Wear protective gloves.
P308+P313 IF exposed or concerned: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

OPTIMUM QFD 60 - RTU

Detergent labelling < 5% amphoteric surfactants, < 5% EDTA and salts thereof

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | | |
|---|---|--|
| ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT | | <1% |
| CAS number: 64-02-8 | EC number: 200-573-9 | REACH registration number: 01-2119486762-27 |
| Classification Met. Corr. 1 - H290 Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Dam. 1 - H318 STOT RE 2 - H373 | Classification (67/548/EEC or 1999/45/EC) Xn;R20,R22. Xi;R41. | |
| N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE | | <1% |
| CAS number: 2372-82-9 | EC number: 219-145-8 | REACH registration number: 01-2119980592-29-XXXX |
| M factor (Acute) = 10 | | |
| Classification Acute Tox. 3 - H301 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Acute 1 - H400 | Classification (67/548/EEC or 1999/45/EC) Xn; R22, R48/22. C; R35. N; R50 | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments To the best of our knowledge, all of the substances used in this product are being supported for the relevant application in REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|-----------------------------------|---|
| General information | Get medical advice/attention if you feel unwell. |
| Inhalation | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues. |
| Ingestion | Rinse mouth thoroughly with water. Do not induce vomiting unless under the direction of medical personnel. Get medical attention if symptoms are severe or persist. |
| Skin contact | Rinse immediately with plenty of water. Get medical attention if any discomfort continues. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Get medical attention if symptoms are severe or persist. |
| Protection of first aiders | First aid personnel should wear appropriate protective equipment during any rescue. |

OPTIMUM QFD 60 - RTU

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|---|
| General information | Prolonged contact may result in dryness of skin. Eye contact may result in redness and stinging discomfort. |
| Inhalation | Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose. |
| Ingestion | Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of the mouth, throat and GI tract may occur. |
| Skin contact | Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Use solutions may cause mild irritation, especially to open cuts and abrasions. |
| Eye contact | May cause redness and irritation (stinging sensation) to eyes. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|--|
| Notes for the doctor | Rinse well with water to neutral pH. Product contains surfactants and EDTA in an aqueous solution. |
|-----------------------------|--|

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards On heating irritating fumes may be formed.

5.3. Advice for firefighters

Protective actions during firefighting Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections See sections 8, 12 & 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Refer to section 8. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Read and follow manufacturer's recommendations.

OPTIMUM QFD 60 - RTU

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep container tightly closed. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Keep above the chemical's freezing point.

7.3. Specific end use(s)

Specific end use(s) Detergent/Disinfectant. Refer to Product Data sheet.

Usage description This product is suitable for cleaning food process plants, it is not suitable for direct food contact.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Ingredient comments DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT (CAS: 64-02-8)

DNEL Professional - Inhalation; Long term systemic effects: 1.5 mg/m³

PNEC

- Fresh water; 2.86 mg/l
- Marine water; 0.286 mg/l
- Intermittent release; 1.56 mg/l
- Soil; 0.937 mg/kg, mg/kg dwt
- STP; 55.94 mg/kg

N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE (CAS: 2372-82-9)

DNEL Professional - Inhalation; Long term systemic effects: 2.35 mg/m³

PNEC

- Fresh water; 0.001 mg/l
- Marine water; 0.0001 mg/l
- Sediment (Freshwater); 8.5 mg/l
- Sediment (Marinewater); 0.85 mg/l
- Soil; 45.34 mg/l

SODIUM ARYL SULPHONATE (CAS: 1300-72-7)

DNEL Professional - Dermal; Long term systemic effects: 7.6 mg/kg/day
Professional - Inhalation; Long term systemic effects: 53.6 mg/m³ 8h

PNEC

- Fresh water; 1000 mg/l
- Intermittent release; 2.3 mg/l
- STP; 100 mg/l

8.2. Exposure controls

Protective equipment



OPTIMUM QFD 60 - RTU

| | |
|--|--|
| Appropriate engineering controls | As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist. |
| Personal protection | The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product. |
| Eye/face protection | Wear approved, tight fitting safety glasses where splashing is probable. Refer to EN Standard 166 to select appropriate level of protection. |
| Hand protection | Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC). Refer to Standard EN 374. |
| Other skin and body protection | Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing. |
| Hygiene measures | Provide eyewash station and safety shower. Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. |
| Respiratory protection | No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit. |
| Environmental exposure controls | Do not allow the substance to contaminate surface water/ground water. See points 6, 12 & 13. |
| General Health and Safety Measures. | A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals. |

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Appearance | Clear liquid. |
| Colour | Pale Blue |
| Odour | Non Distinct. |
| Odour threshold | Not applicable. |
| pH | 10 - 10.5 |
| Melting point | Not applicable. |
| Initial boiling point and range | Not applicable. |
| Flash point | Not applicable. Contains no Flammable Components |
| Evaporation rate | Not applicable. |
| Evaporation factor | Not applicable. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | Not applicable. |
| Vapour pressure | Not applicable. |
| Vapour density | Not applicable. |
| Relative density | ~ 1 - 1.05 @ 20 Degrees C |

OPTIMUM QFD 60 - RTU

| | |
|---|---|
| Bulk density | Not applicable. |
| Solubility(ies) | Soluble in water. |
| Partition coefficient | Not applicable. Technically not feasible. |
| Auto-ignition temperature | Not applicable. |
| Decomposition Temperature | Not applicable. |
| Viscosity | Not determined. |
| Explosive properties | Not applicable. |
| Explosive under the influence of a flame | Not considered to be explosive. |
| Oxidising properties | Does not meet the criteria for classification as oxidising. Not applicable. Contains no Oxidising Components. |

9.2. Other information

| | |
|----------------------------------|-----------------------------|
| Refractive index | Not applicable. |
| Particle size | Not applicable. |
| Molecular weight | Not applicable. |
| Volatility | Not applicable. |
| Saturation concentration | Not applicable. |
| Critical temperature | Not applicable. |
| Volatile organic compound | Not applicable. |
| Explosive Properties | Not Classified as Explosive |
| Storage Temperature Range | 0 - 40 Degrees C |

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|-------------------|---|
| Reactivity | Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions. |
|-------------------|---|

10.2. Chemical stability

| | |
|------------------|--|
| Stability | Stable at normal ambient temperatures and when used as recommended. - See note 10.6. |
|------------------|--|

10.3. Possibility of hazardous reactions

| | |
|---|------------------------|
| Possibility of hazardous reactions | Refer to section 10.1. |
|---|------------------------|

10.4. Conditions to avoid

| | |
|----------------------------|---|
| Conditions to avoid | Avoid excessive heat for prolonged periods of time. |
|----------------------------|---|

10.5. Incompatible materials

| | |
|---------------------------|---|
| Materials to avoid | Avoid contact with acids. Do not mix with Hypochlorite based chemicals this could result in a hazardous reaction producing heat, CO ₂ and O ₂ . This product is not compatible with copper or its alloys, slow dissolution of the metal will occur. |
|---------------------------|---|

10.6. Hazardous decomposition products

OPTIMUM QFD 60 - RTU

Hazardous decomposition products Does not decompose when used and stored as recommended. - See section 10.5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 71,428.57

Respiratory sensitisation

Respiratory sensitisation No evidence of respiratory sensitisation for any component of this formulation.

Skin sensitisation

Skin sensitisation No evidence of skin sensitisation for any component of this formulation.

General information

See section 4.2.

Inhalation

Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose. - See section 4.2.

Ingestion

Unlikely route of exposure without deliberate abuse. There may be soreness and redness of mouth and throat. A soapy taste may be reported. May cause irritation/discomfort to mucous membranes.

Skin contact

Under normal conditions of use exposure time will be short and the likelihood of causing skin irritation will be very low. Long exposure may result in skin dryness.

Eye contact

Irritating to eyes.

SECTION 12: Ecological Information

Ecotoxicity

This product is classified as harmful to aquatic life. Normal use is not expected to pose a risk.

12.1. Toxicity

Acute toxicity - fish

Normal use is unlikely to pose a hazard to the environment.

12.2. Persistence and degradability

Persistence and degradability

The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.

12.3. Bioaccumulative potential

Bioaccumulative potential

Not expected to bioaccumulate.

Partition coefficient

Not applicable. Technically not feasible.

12.4. Mobility in soil

Mobility

The product contains substances which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects

Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

OPTIMUM QFD 60 - RTU

| | |
|----------------------------|---|
| General information | When handling waste, the safety precautions applying to handling of the product should be considered. Do not mix with other chemicals. |
| Disposal methods | Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Small volumes of use solution can be disposed of to sewers. |

SECTION 14: Transport information

| | |
|----------------|--|
| General | The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). |
|----------------|--|

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|-----------------------|---|
| EU legislation | European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures. This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and Labelling of Dangerous Preparations. Also considered is the REACH Regulation (EC) No.1907/2006. |
|-----------------------|---|

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

OPTIMUM QFD 60 - RTU

| | |
|---|--|
| Abbreviations and acronyms used in the safety data sheet | (EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures. NPIS - National Poisons Information Service. vPvB - Very Persistent, Very bioaccumulative. PBT - Persistent, Bioaccumulative & Toxic. REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006). DNEL - Derived No Effect Limit. PNEC - Predicted No Effect Concentration. COSHH - Control of Substances Hazardous to Health. Industry - Refers in section 8 to application of the substance in an industrial process. Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises. |
| General information | This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2. |
| Revision comments | Product Launch |
| Revision date | 04/02/2016 |
| SDS number | 23456 |
| Hazard statements in full | H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. |
| REACH extended MSDS comments | REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.